

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	18770	load adj balanc\$3	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 15:40
S2	3132398	monitor\$3 or test\$3 or measur\$5 or detect\$4	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 15:41
S3	3648	failover	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 15:42
S4	497728	threshold	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 15:43
S5	447	S1 and S2 and S3 and S4	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 15:52
S6	121600	server\$1 and client\$1 and network\$3	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 15:55
S7	248555	(reliabilit\$3 or availabilit\$3) and performance	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 15:56
S8	323	S7 and S6 and S5	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 16:03
S9	3751	cisco.as.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 16:04
S10	323	S8 NOT S9	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:25
S11	172	S8 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:45
S12	102	S11 and ("709".clas. or "713".clas.)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S13	23	S12 and 709/224.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 09:06
S14	79	S12 not S13	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/09 17:05
S15	18812	load adj balanc\$3	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07

EAST Search History

S16	3136166	monitor\$3 or test\$3 or measur\$5 or detect\$4	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S17	3658	failover	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S18	498490	threshold	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S19	448	S15 and S16 and S17 and S18	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S20	121958	server\$1 and client\$1 and network\$3	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S21	248954	(reliabilit\$3 or availabilit\$3) and performance	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S22	324	S21 and S20 and S19	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S23	172	S22 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 10:07
S24	11	S23 and ("718".clas.)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/24 15:37
S25	871	(load adj balanc\$3).ti.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 13:38
S26	10778	709/223-224.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/24 15:31
S27	66	S25 and S26	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 13:39
S28	54	S27 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 13:40
S29	44	S28 (performance or capacity)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 13:40
S30	24	S29 threshold	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 13:41

EAST Search History

S31	15	S30 fail\$5	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 17:40
S32	0	S31 and (AAA adj server)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 17:41
S33	2	S27 and (AAA adj server)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/10 17:41
S34	388	ICMP.clm.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/11 14:04
S35	10778	709/223-224.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/11 13:57
S36	51	S34 and S35	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/11 13:57
S37	81	(ICMP adj Echo).clm.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/11 14:01
S38	14	S37 and S35	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/11 14:01
S39	198	(AAA adj (server\$1 or client\$1)). clm.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/11 14:05
S40	9	S39 and S35	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/11 14:05
S41	10778	709/223-224.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 17:54
S42	828	S41 and hash\$3	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 17:55
S43	166	S42 and (hash\$3).clm.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 17:55
S44	132	S43 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 18:00
S45	89	S44 and messag\$3	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 18:01

EAST Search History

S46	0	S45 and (one\$1way adj algorithm)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 18:02
S47	227	(one\$1way adj hash adj algorithm)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 18:03
S48	1	S45 and S47	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/12 18:03
S49	339	"Schieber.inv" or schwartzman.inv. or Inbar.inv.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/24 15:29
S50	207	S49 @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/24 15:30
S51	10873	709/223-224.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/24 15:32
S52	0	S50 S51	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/24 15:32
S53	0	S50 and ("718".clas.)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/05/24 15:37
S54	1	"20020161891"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/13 18:40
S55	1	"20050102393"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/13 18:40
S56	6565	(available or maximum or busy) near2 thread\$3	US-PGPUB; USPAT	AND	OFF	2007/11/14 09:05
S57	9220	709/224.ccls. or 709/226.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 09:07
S58	78	S56 S57	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 09:07
S59	62	S58 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 09:28
S60	5982	(memory near5 usage) same process\$5	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 09:09
S61	5	S59 S60	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 09:09

EAST Search History

S62	260	(AAA adj (server\$1 or client\$1)). clm.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 17:32
S63	9220	709/224.ccls. or 709/226.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 17:32
S64	10	S63 S62	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/14 17:32
S65	1	"20040024861"	US-PGPUB; USPAT	AND	OFF	2007/12/03 16:17
S66	809	(track\$3 or monitor\$3) near7 ((memory or disk or storage) adj (usage or utilization))	US-PGPUB; USPAT	AND	OFF	2007/12/03 16:21
S67	234	(track\$3 or monitor\$3) near7 ((process\$3) adj (usage or utilization))	US-PGPUB; USPAT	AND	OFF	2007/12/03 16:22
S68	9300	(track\$3 or monitor\$3) near7 thread\$2	US-PGPUB; USPAT	AND	OFF	2007/12/03 16:23
S69	1	S66 S67 S68	US-PGPUB; USPAT	AND	OFF	2007/12/03 16:26
S70	28	S66 S67	US-PGPUB; USPAT	AND	OFF	2007/12/03 16:26
S71	20	S70 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/03 16:27
S72	3403	(core or crucial or mandatory) adj (service\$1 or application\$1)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 08:39
S73	811	(track\$3 or monitor\$3) near7 ((memory or disk or storage) adj (usage or utilization))	US-PGPUB; USPAT	AND	OFF	2007/12/04 08:40
S74	234	(track\$3 or monitor\$3) near7 ((process\$3) adj (usage or utilization))	US-PGPUB; USPAT	AND	OFF	2007/12/05 13:18
S75	39	(S73 or S74) S72	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 08:40
S76	36	S75 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 08:42
S77	59520	"709"/\$3.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 08:43
S78	18	S76 S77	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 13:48

EAST Search History

S79	18	(AAA adj server\$1) near10 (load adj balanc\$4)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 13:50
S80	1	(AAA adj client\$1) near10 (load adj balanc\$4)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 13:50
S81	7	S79 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 14:38
S82	53	ICMP adj Echo adj message\$1	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 14:38
S83	35	S82 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 14:39
S84	59520	"709"/\$3.ccls.	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 14:39
S85	18	S83 S84	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/04 14:39
S86	420923	TACACS or RADIUS	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:44
S87	33339	AAA	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:14
S88	2627	S86 S87	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:14
S89	234	(track\$3 or monitor\$3) near7 ((process\$3) adj (usage or utilization))	US-PGPUB; USPAT	AND	OFF	2007/12/05 13:19
S90	0	S88 S89	US-PGPUB; USPAT	AND	OFF	2007/12/05 13:18
S91	1717	(track\$3 or monitor\$3) S88	US-PGPUB; USPAT	AND	OFF	2007/12/05 13:43
S92	1577	S91 availab\$6	US-PGPUB; USPAT	AND	OFF	2007/12/05 13:43
S93	2928	(TACACS or RADIUS) near10 availab\$6	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:44
S94	90	S93 S87	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:45

EAST Search History

S95	0	S94 S89	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:45
S96	55	S94 S91	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:45
S97	31	S96 and @ad<"20031022"	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/05 13:45
S98	6241	server near2 performance	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:25
S99	2380	host near2 performance	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:26
S10 0	8487	S98 or S99	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:26
S10 1	731	S100 near3 (monitor\$4 or track\$4 or measur\$5)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:31
S10 2	2	S101 same (failover or switchover)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:30
S10 3	80640	(server or host) near5 (message or packet or frame)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:29
S10 4	444	S100 same S103	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:29
S10 5	1	S104 same (failover or switchover)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:30
S10 6	281	S103 same (failover or switchover)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:30
S10 7	60494	(host or server) near7 (monitor\$4 or track\$4 or measur\$5)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 13:32
S10 8	32	S106 same S107	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 15:32
S10 9	7	S108 threshold\$1	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/12/06 15:33